

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	1326	(714/4).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/01 11:24
S5	533	(714/11).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/01 15:30
S6	421	(714/13).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/01 17:30
S7	11141	sbc.u/c. spe.u/c. (pc near2 blade)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 17:31
S8	32	S7 and (fail adj over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 17:31
S9	2234	S7 and ((primary same secondary) (active same (auxiliary standby)) redundant failover)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/01 17:37
S10	136	S7 same ((primary same secondary) (active same (auxiliary standby)) redundant failover)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/02 14:01
S11	1	("6453435").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/02 14:01
S12	147	(714/44).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/06 08:24
S13	12634	pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 08:24
S14	106	S13 and ((fail adj over) failover)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 08:38

S15	48	(("52492705327520") or ("57348725401791") or ("58988465574801") or ("54035065664052") or ("54386745669774") or ("54559265697060") or ("61733505752222") or ("57244105809455") or ("49544565812447") or ("53713285822681") or ("53919175881104") or ("54707665959971") or ("56524566047253") or ("58106076115685") or ("62862086182032") or ("58683046226533") or ("67264046226533") or ("67934406631504") or ("55828176886121") or ("57354525223405") or ("59220596419714") or ("62371165867666") or ("63569666173411") or ("65581115889788") or ("66081344606536") or ("53135874867522") or ("55396214251873") or ("38045314435824") or ("63004614575818") or ("63037484626718") or ("64370854949355") or ("65105295229652") or ("67082865561806") or ("53036765604513") or ("54147975613595") or ("54212915623400") or ("56404585770R96") or ("58514745952894") or ("59307586003138") or ("59566386029093") or ("52589456064647") or ("54126646119169") or ("55769826185857") or ("58942426317700") or ("43785085202624") or ("54795615483518") or ("57490655581541") or ("48455325617420") or ("49140485640521") or ("49842635875353") or ("6238599") or ("6242504") or ("6243672") or ("6253986") or ("6278184") or ("6278971") or ("6308279") or ("6314391") or ("6322685") or ("6351254") or ("6356211") or ("6366545") or ("6371318") or ("6399170") or ("6415572") or ("6415251") or ("6423793") or ("6429277") or ("6445800") or ("6451707") or	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/06 08:38
Search History 10/27/2005 9:55:34 AM Page 5251 C:\Documents and Settings\B Duncan\My Documents\EA\workspaces\09921869.wsp						

[illegible]

S17	1834	new adj world	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:03
S18	1	S17 same PBx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:04
S19	1032	((voice adj mail) voicemail) same pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:04
S20	9	S19 and ((fail adj over) failover)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:07
S21	224	converged near network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:28
S22	81	S21 and (serial RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:28
S23	42	S22 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:32
S24	39	S22 not S23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:34
S25	143	S21 not S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:35
S26	0	SSP and SAP and SBC	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:35
S27	28	system adj switch adj processor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:38
S28	0	serial adj alarm adj processor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:38

S29	1879	single adj board adj computer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:14
S30	825	S29 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:24
S31	453	voice near data near fax	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:44
S32	2	S30 and S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:39
S33	2767	voice with data with fax	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:45
S34	7	S33 and S30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:45
S35	5	S34 not S32	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:48
S36	57	379/9.05.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:56
S37	1322	379/93.09.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:56
S38	39	S37 and S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:56
S39	11	S38 and serial	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 13:58
S40	28	S38 not S39	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:01

S41	0	S18 same S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:02
S42	1	S18 and S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:02
S43	4383	S29 or sbc.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:02
S44	1830	S43 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:03
S45	51	S44 and (service near processor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:22
S46	926	IP.u/c. with pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S47	227	IP.u/c. near pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S48	184	IP.u/c. adj pbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S49	88	"ip-pbx"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S50	184	S48 or S49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S51	6	ippbx.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:23
S52	188	S51 or S50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 14:24

S53	52	S52 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:04
S54	216	(379/325).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/06 17:12
S55	231	S47 or S52	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:12
S56	1	S55 and "714"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:13
S57	4383	(single adj board adj computer) or sbc.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:14
S58	120	S57 and "714"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:20
S59	1668	3com.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:20
S60	2	S59 and (ip adj pbx)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:22
S61	426	S59 and (serial or RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 17:25
S63	865	serial and (fail adj over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 18:27
S64	0	serial near (fail adj over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/06 18:27
S65	57	serial same (fail adj over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:36

S66	1580	USB.u/c. same (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:41
S67	432	S66 same card	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:39
S68	6	S66 same ((single adj board adj computer) (pc adj blade) sbc.u/c.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:37
S69	28	USB.u/c. near (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 09:41
S70	330	(361/788).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/07 10:50
S71	79	S70 and (redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
S72	354	compact adj PCI.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:55
S73	1140137	(redundant (fail adj over) failover (back adj up) backup standby secondary)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
S74	205	S72 and S73	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
S75	126	PICMG.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
S76	83	S75 and S73	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:56
S77	3060	vme.u/c.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:57

S78	1292	S77 and S73	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:57
S79	136	S74 and (serial or RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 11:03
S80	55	S76 and (serial or RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 11:42
S81	732	S78 and (serial or RS232)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 10:58
S82	2425	((single adj board) adj (computer microcomputer)) ((server pc computer) adj blade))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 11:43
S83	1142	S82 and S73	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 11:44
S84	160	S82 same S73	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:21
S85	7	("5136498" "5202822" "5255388" "5508910" "5655149" "5997166" "6085333").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 13:16
S86	0	("6192437").URPN.	USPAT	OR	ON	2005/09/07 13:20
S87	114	S84 and (serial rs232 rs422 rs485)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:22
S88	1370	(714/4).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:42
S89	544	(714/11).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:43
S90	432	(714/13).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:43

S91	151	(714/44).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:43
S92	216	(379/325).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:43
S93	334	(361/788).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:43
S94	58	379/9.05.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 16:44
S95	1326	379/93.09.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 16:44

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((sbc.u/c. (single adj board adj computer)) and primary and (secondary backup redundan\$2 (fail adj over))).clm.	US-PGPUB	OR	ON	2005/10/27 09:46